ISSN: 2309-5288 (Print) ISSN: 2309-6152 (Online) CODEN: JCLMC4

Assessment of Debriefing Experiences of Emergency Medical Professionals in Remote Simulation and Standardized Patients

Received: 18 August 2022, Revised: 16 September 2022, Accepted: 21 October 2022

KEYWORDS: Remote simulation, debriefing, standardized patients, virtual debriefing.

Dr. Parag Rishipathak1, Dr. Monesh Bhandari2, Dr. Anand Hinduja3

Professor & Director, Symbiosis Centre for Health Skills, Symbiosis International (Deemed University), Pune, India1

Medical Officer, Academics, Symbiosis Centre for Health Skills, Symbiosis International (Deemed University), Pune, India2

Adjunct Faculty Symbiosis Centre for Health Skills, Symbiosis International (Deemed University), Pune, India3

ABSTRACT:

INTRODUCTION:

Clinical training of medical students during their formative years of graduation and postgraduation forms the basis of their future clinical practice. Hands-on practice and bed-side teaching form the cornerstones of effective clinical education, but recently the utilization of simulation based medical education, is growing at a fast pace.

Students are exposed to Simulated Clinical Experiences (SCE's) in a safe and controlled environment. Simulation based training has been found to be a better tool than didactic teaching for medical graduate students to learn critical assessment and life-saving skills.Emergency Medicine requires expert and skilled professionals to handle critical situations with instantaneous decision making in order to save a patient's life.Reflective debriefing helps learners tackle real life emergencies more effectively.

OBJECTIVE:

To compare debriefing experiences of Emergency Medical Professionals after sessions in remote simulation and standardized patients.

METHODOLOGY:

Only those EMPs who had not been exposed to simulation, debriefing and ITLS sessions in the past participated in the study. The Facilitator demonstrated the skills to the participants and written patient assessment algorithms were distributed for better understanding.

The EMPs were randomly assigned into two groups A and B. Group A was exposed to Standardized Patients (SP) Simulation while Group B was exposed to Remote Manikin Simulation.

CONCLUSION:

Remote Simulation has been largely successful as it is reiterated by the high satisfaction scores in our study. Nevertheless, in-person SP simulation, provided a richer debriefing experience to the learners.

1. INTRODUCTION:

Clinical training of medical students during their formative years of graduation and post-graduation forms the basis of their future clinical practice. It helps them to evolve into a practitioner who handles patients with medical conditions and emergencies effectively. The required skillset must be upgraded frequently with new improvised teaching methodologies and techniques to ensure that the best evidence based care is provided to the patient.¹ Traditionalmethod of teaching which is largely classroom based, has been to be inadequate for found skill acquisition. Hands-on practice and bedside teaching form the cornerstones of effective clinical education.Bed-side clinical teaching has witnessed a steady decline in the last two decades due to multitude of factors.² Hence, the utilization of simulation based medical education, is growing at a fast pace.

Simulation based training has been integrated in the medical teaching methodologies which includes part task trainers, low and high fidelity manikins, standardized patients, remote and virtual simulation. Students are exposed to Simulated Clinical Experiences (SCE's) in a safe and controlled environment. They are given hands-on -training to handle emergencies, communicate with patient, caregivers, establish cordialinterpersonal skills with colleagues, and maintain professionalism with regular practice and

debriefing sessions.³Simulation based medical education is slowly amalgamating into the clinical curriculum in the lastfew years and has found extensive utility in multiple specializations like emergency medicine, critical care, nursing care, obstetrics and surgery. It has drastically helped students to enhance and improve their clinical and cognitive skills.⁴

ISSN: 2309-5288 (Print) ISSN: 2309-6152 (Online) CODEN: JCLMC4

Simulation based training has been found to be a better tool than didactic teaching for medical graduate students to learn critical assessment life-saving and skills.⁵Emergency Medicine requires expert and skilled professionals to handle critical situations with instantaneous decision making in order to save a life. Regular patient's practice on simulation based scenarios and selfreflecting the actions through debriefing give valuable insights for selfimprovement.⁶Reflective debriefing helps learners tackle real life emergencies more effectively.⁷

Skills like history taking and physical assessment can be better demonstrated and taught using standardized patients rather than manikins.⁸A study by Musa Dahlia *et al* in 2021 recommends that educators use teamwork for complex clinical scenarios in order to promote higher level learning. For promoting lower level learning, individual work in simple scenarios has been suggested.⁹The simulation experience is affected by the physical environmental factors, exposure to real life situations,

comfort level of the participants etc.¹⁰ Debriefing sessions should be conducted environment in an that supports confidentiality, trust, open communication, self-analysis, and reflection. The facilitator-participant bond needs to be for vivid discussions. established clarifying doubts and expressing ideas.¹¹ Wickers et al states that debriefing could be effectively done by creating a physical environment which includes all the aspects conducive to learning, developing a trusting relationship with the participants, resolving and discussing difficulties and doubts, engaging students in analysis of patient care situations, and tactfully asking self-reflective questions.¹²

Simulation activity is incomplete without comprehensive debriefing. It is essential that the essence of debriefing is not lost out in remote simulation. Studies have shown that simulation activities should include efforts to allow students to practice scenarios independently with a standardized After Action Review (AAR). The AAR is expected to augment and assist the facilitator in improving the learning and self-reflection experience of the learner.¹³

Virtual Debriefing and its barriers earlier have been discussed in a 2020 study by Adam Cheng *et al*.The study points out the need to emphasize on explicit strategiesto build and maintain psychological safetywith the existingdebriefing methods and conversational techniques.¹⁴

There are several pitfalls and solutions discussed in a study on Debriefing in 2016 wherein a proposed checklist, a tool for providing peer feedback on debriefing performance named as Promoting Excellence and Reflective Learning in Simulation PEARLS has helped many Simulation educators.¹⁵

Other techniques of debriefing like teledebriefing have been introduced to a limited extent arising out of the necessity during the COVID pandemic situation. Head to head comparison studies on debriefing experience in-virtual and inperson settings are lacking.¹⁶

2. OBJECTIVE:

To compare debriefing experiences of Emergency Medical Professionals after sessions in remote simulation and standardized patients.

3. METHODOLOGY:

The study was conducted in March 2022 among 150 Emergency Medical Professionals (EMPs) working in casualty, emergency care units, Intensive Care Units, Ambulances in the city of Pune, India. ITLS is a two-day intensive course consisting of strategic methods of patient assessment and management of critical conditions in a pre-hospital set up. The first day of ITLS course is focused on emergency patient assessment. The patient assessment module was utilized for comparing the EMPs experience.

Only those EMPs who had not been exposed to simulation, debriefing and ITLS sessions in the past participated in the study. The Facilitator demonstrated the skills to the participants and written patient assessment algorithms were distributed for better understanding.

The EMPs were randomly assigned into two groups A and B. Group A was exposed to Standardized Patients(SP)

Simulation while Group B was exposed to Remote Manikin Simulationvia the Microsoft Teams Application.Each group was further divided into teams of six participants each exposed toSimulated Clinical Scenario's as per the ITLS patient assessment Algorithm.

On completion of the Simulation the participants were subjected to facilitator guided debriefing for 15 minutes each. The debriefing was conducted in-person for Group A and remotely for Group B. The debriefing session was followed by administration of the 20-item Debriefing Experience Scale (DES) questionnaire developed by Reed (2012).¹⁷

The DES questionnaire consistsfour subscales and 20 items in all which requires responses on a 5 point Likert scale, ranging from a score of 1 for *'strongly disagree'* to 5 for *'strongly agree.'* The four subscalestouch upon different aspects of debriefing experience like analysis thoughts and feelings (4 items), learning and making connections (8 items), Facilitator's Skill in Conducting the Debriefing (4 items) and Appropriate Facilitator Guidance (3 items).

Informed consent was taken from the participants prior to the administration of the questionnaire. The participants were provided with a duration of one hour to complete the questionnaire. Any queries pertaining to the questionnaire were clarified during the data collection process by the facilitators. The data was analysed using SPSS version 23.0

4. RESULTS:

Table 1: Demographic Data

	Mean		Standard Deviation		
Subs cale	SP Sim ulati on	Rem ote Sim ulati on	SP Sim ulati on	Rem ote Sim ulati on	p val ue
Anal yzing Thou ghts and Feeli ngs	4.16	3.91	0.09 5	0.14 0	0.03 16*
Learn ing and Maki ng Conn ectio ns	4.24	3.96	0.14 3	0.12 2	0.00 089 *
Facili tator Skill in Cond uctin g the Debri efing	4.20	3.81	0.11 3	0.09 8	0.00 543 *
Appr opriat e Facili tator Guid ance	4.45	3.85	0.08 8	0.05 9	0.01 38*

Table 2: Debriefing Experience Score –SP Simulation V/s Remote Simulation* indicates significant p value (<0.05)</td>

Age:	Percentage	In
Age.	Tercentage	no.s
Less than 25	34.66 %	52
25 to 30	53.34 %	80
30 years above	12 %	18
Sex:		
Male	32 %	48
Female	68 %	102
Academic		
Background:		
BHMS	54 %	81
BAMS	34 %	51
Others	12%	18
Work		
Experience :		
Upto 1 year	56 %	84
More than 1 Year	44 %	66

5. DISCUSSION:

The study aims to understand the effectiveness and benefits of debriefing in two different settings and techniques. Debriefing plays a crucial role for the learner to understand his or her roles and analyze actions taken during the simulation scenario. It is an excellent tool for self-reflection and improvement.

The study results overwhelmingly favor debriefing experience in SP simulation over remote manikin simulation. The findings can partly be attributed to the inperson environment and to the technique utilized by the facilitator in SP simulation. The Debriefing Experience Scale has 4 subscales viz., Analyzing thoughts and feelings, Learning and making connections, Facilitator skill in conducting the Debriefing and Appropriate facilitator guidance.

The participants are more involved inSP Simulation and it resembles real life situations more closely.The Group B participants were online and did not visit the Simulation Lab physically, thereby the environmental fidelity was affected.The debriefing session is highly impactful due to the physical environment factors, comfort of the participants and open interaction.

The subscale on'Facilitator Skill in Conducting Debriefing' has five items highlighting the competency and capabilities of the facilitator. Although the satisfaction levels with the facilitator were high in both the groups, the Group Aparticipants awarded higher score in the item pertaining to time provided for reflective debriefing. SP simulation involves facilitator-participant greater interaction and that in-person environment flows for greater camaraderie between the facilitator and the learners.

Even in terms of evaluation, provided during debriefing, learners of Group A, showed greater satisfaction levels with a constructive approach. Across all items and subscales significant difference was found in the experiences of learners in both groups, all in favor of in-person SP simulation.

6. CONCLUSION:

Remote Simulation was introduced as an adaptation to ensure continuity of education during the COVID-19 era. It has been largely successful as it is reiterated by the high satisfaction scores in our study. Nevertheless, in-person SP simulation, provided a richer debriefing experience to the learners. The study is

limited by its sample size and comparison of a single event. Longer duration studies with larger sample size can help provide better insights.

Source of Funding: Self

Conflict of Interest: None

Ethical Clearance: Obtained from Independent Ethics Committee (IEC), SIU

REFERENCES:

- Guragai M, Mandal D. Five Skills Medical Students Should Have. JNMA J Nepal Med Assoc. 2020 Apr 30;58(224):269-271. doi: 10.31729/jnma.4878. PMID: 32417868; PMCID: PMC7580471.
- Qureshi, Zeshan& Maxwell, Simon. (2011). Has bedside teaching had its day? Advances in health sciences education : theory and practice. 17. 301-4. 10.1007/s10459-011-9308-1.
- Everson J, Gao A, Roder C, Kinnear J. Impact of Simulation Training on Undergraduate Clinical Decision-making in Emergencies: A Non-blinded, Singlecentre, Randomised Pilot Study. Cureus. 2020 Apr 12;12(4):e7650. doi: 10.7759/cureus.7650. PMID: 32411551; PMCID: PMC7217257.
- Davis D, Warrington SJ. Simulation Training and Skill Assessment in Emergency Medicine. [Updated 2022 May 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <u>https://www.ncbi.nlm.nih.gov/books/NBK</u> 557695/
- Steadman RH, Coates WC, Huang YM, Matevosian R, Larmon BR, McCullough L, Ariel D. Simulation-based training is superior to problem-based learning for the acquisition of critical assessment and management skills. Crit Care Med. 2006 Jan;34(1):151-7. doi: 10.1097/01.ccm.0000190619.42013.94. PMID: 16374169.

- 6. Pothiawala. Sohil& Lateef. Fatimah. (2012). Simulation Training in Emergency Medicine Integral (STEM): An Component of Residency Curriculum. Hong Kong Journal of Emergency Medicine. 19. 10.1177/102490791201900107.
- Grice GR, Wenger P, Brooks N, Berry TM. Comparison of patient simulation methods used in a physical assessment course. Am J Pharm Educ. 2013 May 13;77(4):77. doi: 10.5688/ajpe77477. PMID: 23716745; PMCID: PMC3663631.
- Mary Latina Mayville Debriefing: The Essential Step in Simulation, Newborn and Infant Nursing Reviews, Volume 11, Issue 1, 2011, Pages 35-39, ISSN 1527-3369, <u>https://doi.org/10.1053/j.nainr.2010.12.012</u>
- 9. Musa D, Gonzalez L, Penney H, Daher S. Interactive Video Simulation for Remote Healthcare Learning. Front Surg. 2021 Aug 10;8:713119. doi: 10.3389/fsurg.2021.713119. PMID: 34447784; PMCID: PMC8384032.
- Hanoun, Samer&Nahavandi, Saeid.
 (2018). Current and future methodologies of after action review in simulation-based training.
 10.1109/SYSCON.2018.8369516.
- 11. Durham CF, Alden KR. Enhancing Patient Safety in Nursing Education Through Patient Simulation. In: Hughes RG, editor. Patient Safety and Quality: An Evidence-Based Handbook for Nurses. Rockville (MD): Agency for Healthcare Research and Quality (US); 2008 Apr. Chapter 51. Available from: <u>https://www.ncbi.nlm.nih.gov/books/NBK</u> 2628/
- M. Patricia Wickers, Establishing the Climate for a Successful Debriefing, Clinical Simulation in Nursing, Volume 6, Issue 3, 2010, Pages e83-e86, ISSN 1876-1399,

https://doi.org/10.1016/j.ecns.2009.06.003.

13. Sawyer TL, Deering S. Adaptation of the US Army's After-Action Review for



simulation debriefing in healthcare. Simul Healthc. 2013 Dec;8(6):388-97.

- 14. Cheng A, Kolbe M, Grant V, Eller S, Hales R, Symon B, Griswold S, Eppich W. A practical guide to virtual debriefings: communities of inquiry perspective. Adv Simul (Lond). 2020 Aug 12;5:18. doi: 10.1186/s41077-020-00141-1. PMID: 32817805; PMCID: PMC7422458.
- 15. Cheng, A., Grant, V., Robinson, T., Catena, H., Lachapelle, K., Kim, J., Adler, M., &Eppich, W. (2016). The Promoting Excellence and Reflective Learning in Simulation (PEARLS) Approach to Health Care Debriefing: A Faculty Development Guide. *Clinical Simulation in Nursing*, *12*(10), 419-428. <u>https://doi.org/10.1016/j.ecns.2016.05</u> .002
- Honda R, McCoy CE. Teledebriefing in Medical Simulation. [Updated 2021 Sep 28]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <u>https://www.ncbi.nlm.nih.gov/books/NBK</u> 546584/
- 17. Reed, S. J. (2012). Debriefing experience scale: Development of a tool to evaluate the student learning experience in debriefing. Clinical Simulation in Nursing, 8(6), e211-7.

doi:10.1016/j.ecns.2011.11.002.

- 18 Hashem, Somaya, Et Al. "A Simple Multilinear Regression Model For Predicting Fibrosis Scores In Chronic Egyptian Hepatitis C Virus Patients." International Journal Of Bio-Technology And Research 4.3 (2014): 37-46.
- 19 Agarwal, P. A. R. U. L. "Review Of Patient Satisfaction In Private Hospitals-A Study Of Health Care Sector With Special Reference To Noida & Ghaziabad." International Journal Of Sales & Marketing Management Research And Development 4.2 (2014): 27-34.

- 20 Hanuma, P., Et Al. "Multi-Dimensional Flow Analysis Of Goldberg Falcon Remote Controlled Aircraft Wing." International Journal Of Mechanical And Production Engineering Research And Development (IJMPERD) 8.4: 1-8.
- 21. Ahuja, KANIKA K., And T. A. N. I. K. A. Pundir. "No 'Pretty'please At Work: Studying Effect Of Gender And Physical." *International Journal Of Human Resource Management And Research* 9.2 (2019): 83-94.
- 22 Srivastava, Pooja Raj. "Thematic Considerations Of Displacement And Amitav Ghoshas The Circle Of Reason, The Shadow Lines, The Glass Palace And The Sea Of Poppies." *International Journal Of English And Literature* (*IJEL*) 6.1 (2016): 85-96.
- 23. Thongnoppakun, W. A. R. A. N. G. K. A. N. A., And C. H. O. K. C. H. A. I. Yuenyong. "Developing Preservice Science Teachers' Pedagogical Content Knowledge Using Cores-Based Activity." *International Journal Of Educational Science And Research* 8.4 (2018): 1-8.